

NOTES

1. For installation of air-condensing units, to refer to drawings for the approved location and to submit to HDB for evaluation and clearance.
2. Air-con condensation water shall only be connected to the existing air-condition pipes discharged to the nearest rainwater drain.
3. Signage proposals must be submitted to HDB for evaluation and clearance.
4. Hacking of floor within the workshop for construction of kerb at wash bay or for installation of equipment shall not exceed the allowable maximum depth of 15mm.
5. Drilling of floor within the workshop for installation of equipment with bolts and nuts is allowable to a maximum depth of 110mm.
6. Addition and alteration works that involves hacking of existing walls/ floor slabs must be submitted by a Qualified Person [QP] to HDB for endorsement and clearance prior to commencement of work.
7. Metal storage racks up to 3 M height and 1.2 M width can be installed subject to the terms and conditions of the Addition and Alteration works.
8. For full height internal partition (dry wall/ wet wall) within the canteen/information centre, tenants may seek a walk-in consultation with Fire Safety and Shelter Department (FSSD) prior to application for clearance.
9. For installation of LPG storage area, to refer to drawings for the approved location and to submit to HDB for endorsement and to FSSD for clearance.
10. For installation of cooker hood and exhaust duct, to refer to drawings for the approved location and to submit to HDB for endorsement and to FSSD and NEA for clearance.
11. No drilling / puncturing on the roof/ roof structural elements for the installation of false ceiling.
12. Damages arising from Addition and Alteration works shall be made good at own cost to match existing and to HDB's satisfaction.
13. For Addition and Alteration works, tenants may also refer to our website, www.hbz.com.sg under "Renovation For Your Unit."

LEGEND

MV - Mechanical Ventilation

NV - Natural Ventilation

AC - Air Condensing (Self Installation)

DB - Distribution Box

FOCAL POINT

1st storey

NOT TO SCALE

SPACE	UNIT NOS
CANTEEN	# 01 - 113
INFORMATION CENTRE	# 01 - 114
MANAGEMENT OFFICE	# 01 - 115

